Application No.: Attorney Docket No.: 26090-049

10/566,537

REMARKS

A. Status of the Application

I. Disposition of Claims

Claims 1-5 are pending in the application. (i)

(ii) Claims 1-5 are rejected.

II. Applicant's Action

Applicant has amended Claims 1-5. (i)

Applicant has added a new claim-Claim 6. (ii)

Applicant previously responded to the 35 U.S.C. § 102(b) rejection. (iii)

C. Claim Amendments

Applicant, in response to the February 26, 2010 Final Office Action and the August 10, 2010 Advisory Action, has amended Claims 1 and 3. Particularly, the following features have now been included in these claims. Also, Claims 2, 4, and 5 have been amended but only for clarity. Applicant has also added a new Claim 6. Support for the new claim is given below—no new matter was added.

Claim No.	Feature	Support
1 & 3	Cap provides aseptic seal	Page 2, Paragraph [0026]
1 & 3	Push-on process	Page 3, Paragraph [0036]
1, 3	Pull-off process	Page 3, Paragraph [0038]
6	Screw threads at the top of the spout provided for attachment to a connector pipe	Page 3, Paragraph [0031]

Patent-Supplemental Amendment **Group Art Unit 3781**

Application No.: Attorney Docket No.: 26090-049

10/566,537

CONCLUSION

In view of the above remarks, we have properly traversed the 35 U.S.C. § 102(b) rejections and other objections, and have completely responded to the February 26, 2010 Final Office Action and the August 10, 2010 Advisory Action.

The application is therefore allowable. We respectfully solicit that the PTO withdraw the rejections and allow the claims.

A petition to extend the filing of this response by three months under 37 C.F.R. § 1.136(a) accompany this response.

Please contact the undersigned (Applicant's attorney) for questions and charge any unaccounted for fees to Deposit Account No. 501447 (Potter Anderson & Corroon, LLP).

RESPECTFULLY SUBMITTED,

DATE: SEPTEMBER 29, 2010

ATTORNEY FOR APPLICANT REGISTRATION No.: 50,224 PHONE: 302-984-6089

302-658-1192 FAX: